

| | | | | | | | |
|---|--|---|--|--|--|---|--|
| AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT | | | | 1. CONTRACT ID CODE <div style="text-align: center;">J</div> | | PAGE OF PAGES <div style="display: flex; justify-content: space-between;"><div>1</div><div>2</div></div> | |
| 2. AMENDMENT/MODIFICATION NO. <div style="text-align: center;">0003</div> | | 3. EFFECTIVE DATE <div style="text-align: center;">12-Sep-2002</div> | | 4. REQUISITION/PURCHASE REQ. NO. | | 5. PROJECT NO.(If applicable) | |
| 6. ISSUED BY <div style="text-align: center;">CODE</div> CONTRACTING OFFICE (CA/CW) US ARMY ENGR DIST NORFOLK ATTN: CENAO-SS-C 803 FRONT STREET NORFOLK VA 23510-1096 | | DACA65 | | 7. ADMINISTERED BY (If other than item 6) <div style="text-align: center;">CODE</div> <div style="text-align: center; font-weight: bold;">See Item 6</div> | | | |
| 8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code) | | | | X | | 9A. AMENDMENT OF SOLICITATION NO. DACA65-02-R-0030 | |
| | | | | X | | 9B. DATED (SEE ITEM 11) 12-Aug-2002 | |
| | | | | | | 10A. MOD. OF CONTRACT/ORDER NO. | |
| | | | | | | 10B. DATED (SEE ITEM 13) | |
| CODE | | FACILITY CODE | | | | | |
| 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS | | | | | | | |
| <input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified. | | | | | | | |
| 12. ACCOUNTING AND APPROPRIATION DATA (If required) | | | | | | | |
| 13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14. | | | | | | | |
| A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A. | | | | | | | |
| B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B). | | | | | | | |
| C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: | | | | | | | |
| D. OTHER (Specify type of modification and authority) | | | | | | | |
| E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office. | | | | | | | |
| 14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) AMENDMENT NO. 0003 to DACA65-02-R-0030, AIT Barracks 1001, Fort Eustis, VA | | | | | | | |
| Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect. | | | | | | | |
| 15A. NAME AND TITLE OF SIGNER (Type or print) | | | | 16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) | | | |
| | | | | TEL: _____ EMAIL: _____ | | | |
| 15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign) | | 15C. DATE SIGNED | | 16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer) | | 16C. DATE SIGNED 12-Sep-2002 | |

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

(End of Summary of Changes)

The following items are applicable to this modification:

CONTINUATION

GENERAL

"This design-build solicitation establishes design parameters that can be met in a manner to be determined by the offerors and indicated in their response. The proposed solutions submitted by the offerors will be a factor in the technical evaluation of proposals."

Drawings:

Add the attached New Work Finish Schedule– Bldg 1001

| NEW WORK FINISH SCHEDULE - BLDG1001 | | | | | | | | | | | FINISH LEGEND | |
|-------------------------------------|----------------------|-------------|------------|-------|-----------|-------------------|-----------|----------|-------|--------|----------------------|------------------|
| ROOM NO | ROOM NAME | FLOOR | BASE | WAINS | WAINS HGT | WALLS | CEILING | CLG HGT | NOTES | SYMBOL | PRODUCT | |
| FIRST FLOOR | | | | | | | | | | | | FLOORS |
| 100 | TYP CORRIDOR | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 7'-2" | 5 | CP1 | CARPET | |
| 103 | TYP SLEEPING QTRS | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1 | SAPCI | 8'-0" | -- | CP2 | CARPET | |
| 103A | TYP TOILET | CT1/CT2/CT3 | CB1 | -- | -- | (CMU)/CT4/CT5/PA1 | PLAS/P2 | 8'-0" | 3 | CP3 | BORDER CARPET | |
| 106 | TRAINING AIDS | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1 | SAPCI | 8'-0" | -- | VC1 | VINYL COMPOSITION | |
| 108 | BAGGAGE ROOM | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1 | SAPCI | 9'-4" | -- | CT1 | CERAMIC MOSAIC TILE | |
| 108A | BAGGAGE SERVICE | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | SAPCI | 7'-2" | -- | CT2 | CERAMIC ACCENT TILE | |
| 110 | OFFICE | CP2 | (GCMUB)/B1 | -- | -- | TAC1/TAC2 | SAPCI | 7'-5" | -- | CT3 | CERAMIC ACCENT TILE | |
| 110A | MECHANICAL ROOM | (CONC)/VC1 | (GCMUB) | -- | -- | (CMU)/P1 | (CONC)/P2 | -- | -- | QT1 | QUARRY TILE | |
| 114 | TYP VESTIBULE | VC1/MAT1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1 | PLAS/P2 | -- | 3 | | BASE | |
| 115 | LAUNDRY | CB1 | CT4 | 4'-0" | -- | (CMU)/P1 | PLAS/P2 | 8'-0" | -- | WB1 | VINYL BASE | |
| 115A | TYP JANITOR'S CLOSET | CT1 | CT4 | -- | -- | (CMU)/P1 | PLAS/P2 | -- | -- | CB1 | CERAMIC BASE | |
| 116 | TYP ENTRY | (CONC)/VC1 | CB1 | -- | -- | TAC1 | PLAS/P2 | 8'-2" | -- | OB1 | QUARRY TILE BASE | |
| 117 | TOILETS | -- | -- | -- | -- | -- | -- | -- | 7 | | WALLS | |
| 118 | TYP STAIR | VC1/ST1 | WB1 | -- | -- | (CMU)/TAC1 | SAPCI | VARIABLE | -- | B1 | WALL PAINT | |
| 118A | TYP STAIR VESTIBULE | VC1/MAT1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1 | SAPCI | 8'-2" | 3 | TAC1 | TEXTURED ACROUS CO | |
| 119 | CORRIDOR | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 7'-2" | 5 | TAC2 | TEXTURED ACROUS CO | |
| 120 | SUPPLY ROOM | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P2 | SAPCI | 8'-0" | -- | CT4 | CERAMIC WALL TILE | |
| 122 | TYP OFFICE | CP2 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 8'-0" | -- | CT5 | CERAMIC ACCENT TILE | |
| 123 | MESS HALL | CT | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | -- | 8 | P2 | CEILING PAINT | |
| 123A | KITCHEN | CT | (GCMUB)/B1 | -- | -- | (CMU)/P1 | (CONC)/P2 | -- | 8 | SAPCI | SEPARATE ROUSAL FINE | |
| 128A | TYP OFFICE CLOSET | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | SAPCI | 8'-0" | -- | | MISCELLANEOUS | |
| 133 | TOILET | -- | -- | -- | -- | -- | -- | -- | 7 | P2 | TRIM PAINT | |
| 134 | MAIL ROOM | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | SAPCI | 5'-0" | -- | P4 | TRIM PAINT | |
| 137 | SUPPLY SERVICE | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1 | SAPCI | 8'-0" | -- | MAT1 | ENTRY MAT | |
| 140 | GENERAL STORAGE | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | SAPCI | 8'-0" | -- | ST1 | STAIR TREAD | |
| 140A | STORAGE SERVICE | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | SAPCI | 8'-0" | -- | PLAM1 | PLASTIC LAMINATE | |
| 144 | WCL LOUNGE | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/UC2 | SAPCI | 8'-0" | -- | CMV1 | CULTURED MARBLE TILE | |
| 148 | MECHANICAL ROOM | (CONC)/VC1 | (GCMUB) | -- | -- | (CMU)/P1 | (CONC)/P2 | -- | -- | -- | SHOWER BASIN | |
| SECOND FLOOR | | | | | | | | | | | | WINDOW TREATMENT |
| 200 | TYP CORRIDOR | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 7'-2" | 5 | G1 | FLOOR GROUT | |
| 203 | TYP SLEEPING QTRS | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1 | SAPCI | 8'-0" | -- | PLAM1 | WALL GROUT | |
| 208 | STORAGE AREA | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | (CONC)/P2 | 8'-0" | -- | | | |
| 216 | TYP STAIRS | VC1/ST1 | WB1 | -- | -- | (CMU)/TAC1 | SAPCI | 8'-4" | -- | | | |
| 217 | SHOWER | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 217A | JANITOR'S CLOSET | CT1 | CT4 | -- | -- | (CMU)/P1 | PLAS/P2 | -- | -- | | | |
| 219 | TOILETS | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 221 | LAUNDRY | CT3 | CB1 | CT4 | 4'-0" | CT4/CT5 | SAPCI | 8'-0" | -- | | | |
| 225 | DAY ROOM | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 8'-11" | -- | | | |
| 225 | MECHANICAL RM | -- | -- | -- | -- | -- | P2 | -- | -- | | | |
| 227 | DAY ROOM | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 8'-11" | -- | | | |
| 229 | LAUNDRY | CT1 | CB1 | CT4 | 4'-0" | CT4/CT5 | SAPCI | 8'-0" | -- | | | |
| 231 | TOILETS | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 233 | SHOWER | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 233A | JANITOR'S CLOSET | CT1 | CT4 | -- | -- | (CMU)/P1 | PLAS/P2 | -- | -- | | | |
| 240 | STORAGE FACILITY | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | (CONC)/P2 | 8'-0" | -- | | | |
| THIRD FLOOR | | | | | | | | | | | | |
| 300 | TYP CORRIDOR | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 7'-2" | 5 | | | |
| 303 | TYP SLEEPING QTRS | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 8'-0" | -- | | | |
| 308 | STORAGE FACILITY | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | (CONC)/P2 | 8'-0" | -- | | | |
| 316 | TYP STAIRS | VC1/ST1 | WB1 | -- | -- | (CMU)/TAC1 | SAPCI | 9'-3" | -- | | | |
| 317 | SHOWER | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 317A | JANITOR'S CLOSET | CT1 | CT4 | -- | -- | (CMU)/P1 | PLAS/P2 | -- | -- | | | |
| 319 | TOILETS | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 320 | DRILL SGT OFFICE | CP2 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 8'-0" | 4 | | | |
| 321 | LAUNDRY | CT1 | CB1 | CT4 | 4'-0" | CT4/CT5 | SAPCI | 8'-0" | -- | | | |
| 328 | DRILL SGT OFFICE | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/TAC1/TAC2 | SAPCI | 8'-0" | 4 | | | |
| 329 | TOILETS | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 331 | SHOWER | -- | -- | -- | -- | -- | -- | -- | 7 | | | |
| 331A | JANITOR'S CLOSET | CT1 | CT4 | -- | -- | (CMU)/P1 | PLAS/P2 | -- | -- | | | |
| 340 | STORAGE FACILITY | VC1 | (GCMUB)/B1 | -- | -- | (CMU)/P1 | (CONC)/P2 | 8'-0" | -- | | | |

FINISH NOTES:

1. TYPICAL ACCENT WALL TILE
2. SEE ENLARGED TOILET PLAN
3. SEE FLOOR PLAN FOR ENTRY
4. SLOPED CONCRETE ROOF
5. PROVIDE ACCENT WALL OF
6. TYPICAL ON THE FIRST FLOOR
7. CLEAN THROUGH OUT GALL
8. DEMO EXISTING CT & ASB
9. CHEMICAL CLEAN EXIST. CT

GENERAL NOTES:

A. FINISHES IN PARENTHESES () ARE EXISTING

B. ACTUAL ROOM NUMBERS MAY VARY IN BLDG 1001

C. LOCATIONS OF WALL COATINGS AND ACCENT-WALL COATINGS INDICATED ARE TYPICAL FOR BARRACKS 1001.

U.S. ARMY

FINISH LEGEND

| SYMBOL | PRODUCT | MANUFACTURER | PRODUCT #/STYLE | COLOR | REMARKS |
|-----------------------|----------------------------|------------------------|--------------------------|-----------------------|------------------------------|
| FLOORS: | | | | | |
| CPT1 | CARPET | SHAW/STRAITON | WORSITE 60279 | WAVE 79450 | 12" W. ULTRALOC BACKING |
| CPT2 | CARPET | SHAW/STRAITON | DATABASE 60275 | TOPSAIL 75450 | 12" W. ULTRALOC BACKING |
| CPT3 | BORDER CARPET | SHAW/STRAITON | SOLO 60258 | BALTIC 09495 | 12" W. ULTRALOC BACKING |
| VCT1 | VINYL COMPOSITION TILE | ARMSTRONG | IMPERIAL TEXTURE | COLOR TO BE SELECTED | 12"x12" |
| CT1 | CERAMIC MOSAIC TILE | DALTILE | UNGLAZED MOSAIC | DK-14 LIGHT GRAY | 2"x2" W/ ABRASIVE |
| CT2 | CERAMIC ACCENT TILE | DALTILE | UNGLAZED MOSAIC | DK-25 COBALT BLUE | 2"x2" |
| CT3 | CERAMIC ACCENT TILE | DALTILE | UNGLAZED MOSAIC | DK-311 EBONY | 2"x2" |
| QT1 | QUARRY TILE | SUMMITVILLE | OLD TOWNE | 95 NEW BEDFORD | 6"X6"X1/2" |
| BASE: | | | | | |
| VBT | VINYL BASE | ARMSTRONG | COLOR INTEGRATED | 63 SILVER GRAY | 4" H |
| CB1 | CERAMIC BASE | DALTILE | MOXB-SA | DK-14 LIGHT GRAY | 8" H (2"x2") |
| QB1 | QUARRY TILE BASE | SUMMITVILLE | OLD TOWNE | 95 NEW BEDFORD | 8" H BULLMOSE |
| WALLS: | | | | | |
| P1 | WALL PAINT | ICI/GUDDEN | 5000 61/010 (P1184/L156) | SILVER GULL | LATEX SEMI-GLOSS |
| TAC1 | TEXTURED ACRYLIC COATING | DUROPLEX/TRARCH | FINE SAND DS II | B UNCT PROSTRIPE | CSA 18105.05 |
| TAC2 | TEXTURED ACRYLIC COATING | DUROPLEX/TRARCH | PARCMENT DS II | B.TURQUOISE/T.POLNY | CSA 18109.09 |
| CT4 | CERAMIC WALL TILE | DALTILE | D-714 | STEEL | 4 1/4 X4 1/4" MATTE FINISH |
| CT5 | CERAMIC ACCENT TILE | DALTILE | D-146B | GALAXY | 4 1/4 X4 1/4" GLOSS FINISH |
| CEILING: | | | | | |
| P2 | CEILING PAINT | ICI/GUDDEN | 5000 63/004 (P1337/L145) | GREY GHOST | LATEX SATIN |
| SAPC1 | SUSPENDED ACoustICAL PANEL | ARMSTRONG | TUNDRA | 303 WHITE | 24"x24" BEVELED REGULAR EDGE |
| MISCELLANEOUS: | | | | | |
| P3 | TRIM PAINT | ICI/GUDDEN | 5000 35/117 (P1182/L197) | CANOPY GREEN | ALLOY SEMI-GLOSS |
| P4 | TRIM PAINT | ICI/GUDDEN | 5000 23/141 (L1428/P206) | BENTON HARBOR | ALLOY SEMI-GLOSS |
| MAT1 | ENTRY MAT | C/S GROUP | FEDMAT/TREADLINE | 9512 DEEP SEA | CPT TREAD/SURFACE MAT |
| ST1 | STAIR TREAD | WOODSTER PRODUCTS | STARMASTER | BLACK/CLEAR ALUM | ALUMINUM W/ ABBR TREAD |
| PLA1 | PLASTIC LAMINATE | NEWMAR | MB-5-JT | FRENCH BLUE MATRIX | TEXTURED FINISH |
| CBW1 | CULTURED MARBLE TOP | GREENWICH KITCHEN CNTR | 143 | WHITE VEIN/LIGHT GRAY | VANITY TOP/SINK BOWL |
| SB | SHOWER BATH | --- | --- | GREY | PRECAST TERRAZZO |
| WT1 | WINDOW TREATMENT | KIRSCH | MEDALLION 1" MINI BLIND | 402 OXFORD | ALUMINUM |
| GT | FLOOR GROUT | MARFI | CLASSIC COLLECTION | PEARL GRAY 19 | FOR MOSAIC FLOOR- SANDED |
| PLA1 | WALL GROUT | MARFI | CLASSIC COLLECTION | SILVER 27 | FOR WALLS- UNSANDED |

FINISH NOTES:

1. TYPICAL ACCENT WALL TAC2 PLACED ON THE NORTH WALL IN CLASSROOMS AND OFFICE. PLACE TAC1 ON ALL OTHER WALLS.
2. SEE ENLARGED TOILET PLANS AND ELEVATIONS FOR CERAMIC TILE PATTERNS.
3. SEE FLOOR PLAN FOR ENTRY MAT (MAT1) LOCATION/INSTALLATION.
4. SLOPED CONCRETE ROOF DECK/CEILING, 5'-4" @ EXT WALLS, 10'-0" @ CORRIDOR WALLS.
5. PROVIDE ACCENT WALL OF TAC2 ON END WALLS OF CORRIDOR. PLACE TAC1 ON ALL OTHER WALLS.
6. TYPICAL ON THE FIRST FLOOR INC LOUNGE PLACE TAC2 ON EXTERIOR WINDOW WALL. PLACE VNC2 ON ALL OTHER WALLS.
7. CLEAN THROUGH OUT DANG LATRINES AND REPLACE DAMAGED FLOOR/WALL TILES.
8. DEMO EXISTING CT & ASBESTOS WASTIC AND PROVIDE NEW CT TILES.
9. CHEMICAL CLEAN EXIST. CLAY TILE WALL AND PROVIDE NEW PAINT TO ALL CONCRETE CEILING, CHG WALLS AND PARTITIONS.